

APPLICATION

of

Ralf Mimoun

for

UNITED STATES LETTERS PATENT

on

PROCEDURE FOR THE CREATION OF A CONTROL
INTERFACE FOR A STANDARD APPLICATION
IN A COMPUTER NETWORK BROWSER

Docket No.: BUNGA-57762
Sheets of Drawing: None
[208022.1]

Attorneys
FULWIDER PATTON LEE & UTECHT, LLP
Howard Hughes Center
6060 Center Drive, Tenth Floor
Los Angeles, California 90045

EXPRESS MAIL NO. EK 179 965 996 US

09883150:061501
T05T90:05T8860

PROCEDURE FOR THE CREATION OF A
CONTROL INTERFACE FOR A STANDARD APPLICATION
IN A COMPUTER NETWORK BROWSER

RELATED APPLICATIONS

5 This application claims priority under the Paris Convention based on German Patent Application No. DE 100 38 842.1 filed 15 June 2000.

BACKGROUND OF THE INVENTION

Field of the Invention:

10 The invention relates generally to the use of standard applications over a computer network and, more particularly to a software for, and a method of creating a user interface for a standard application in the window of a browser, which runs on a personal computer workstation within a computer network, particularly within an Intranet or an Internet. The standard application runs on a server connected to the computer network and at least one user works on the personal computer workstation through the network. The standard application
15 can be run by means of a user interface and, if necessary, the output of the standard application can be returned by means of the output fields of the user interface.

Description of the Related Art:

20 Several methods and software exist which relate to the use of standard applications over a computer network. Such known software often requires the installation of a special client software on the user side. One such method is known from the application of the "Citrix™ Metaframe" software. This software is known from the manual "Feature Guide for Citrix™ MetaFrame for Windows 2000 Servers", which can be obtained through the Internet home page of the firm Citrix Systems Inc., Fort Lauderdale, FL 33309, USA (<http://www.citrix.com>). It contains a classical client/server management system, whereby
25 various additional modules are necessary, for instance the so-called "Application Server", which makes it possible to distribute the applications, as well as special client software at the personal computer workstation. Because of that it is not suitable to be used for servicing software by any web browser.

30 Another known software for the implementation of a generic method is "GraphOn Bridges™" of the firm GraphOn Corp., Cambell, CA 95008, USA (<http://www.graphon.com>), described in the manual "Bridges™ Product Sheet", which can be obtained through the Internet home page of the manufacturer. This software runs on a server, whereby the content

09883150-061501

of the window is further redirected to special client software. Also, Bridges™ does not evaluate the structure of the application window, but redirects further to the client software the API calls of the operating system for drawing the window content.

5 A programmer of a standard application can further implement an application as so-called ActiveX™ control. This ActiveX™ control is a program file that can be run on personal computer workstations with the Microsoft Windows™ operating system instead of the standard application. In the praxis however, this means that the whole program has to be transferred and presented in the browser window, whereby, since no HTML code can be created, the program becomes dependent on the operating system of the personal computer
10 workstation at the browser side.

Hence, those skilled in the art have recognized a need for providing a method and software that permit an easy presentation of the user interface of a standard application as well as servicing the standard application through the browser without any requirements to the personal computer workstation and the browser that is installed on it. The invention fulfills
15 these needs and others.

SUMMARY OF THE INVENTION

Briefly, and in general terms, the invention is directed to a method and software that permit an easy presentation of the user interface of a standard application as well as servicing the standard application through the browser without any requirements to the personal
20 computer workstation and the browser that is installed on it.

According to the invention, this objective is achieved in such a way that a software module is integrated into the standard application and this module permits to reproduce on the browser of the personal computer workstation the separate components of the user interface of the standard application. Whereby the software module transforms the state and the
25 function of the components into standard code which is then interpreted by the browser. The user data returned by the browser are transferred to the standard application in the required format.

In one aspect, the invention relates to a method for creating a user interface for a standard application in the window of a browser that runs on a personal computer workstation
30 of a computer network, such as an Intranet or the Internet. The standard application runs on a server connected to a computer network. At least one user works with the standard

5

10

20

30

In other detailed aspects, the code generated by the software module contains script routines, such as Java-Script routines, that can be interpreted by the browser and site to be presented in the browser by the software module is generated according to the CSS standard.

In another aspect, the invention relates to a data carrier or computer readable medium
5 having program code instructions for performing a method of creating a user interface for a standard application in the window of a browser that runs on a personal computer workstation of a computer network. As used herein the data carried may comprise any kind of computer memory such as conventional hard drives, CD-ROMS, nonvolatile ROM and RAM. The standard application runs on a server connected to the computer network and at least one user
10 works with the standard application from the personal computer workstation over the computer network. The standard application can be serviced by means of a user interface and work results from the standard application can be returned through the output fields of the user interface. The method includes presenting separate components of the user interface of the standard application in the browser of the personal computer workstation, by converting the
15 state and the function of the separate components into standard code that can be interpreted by the browser and transferring to the standard application in the requested format the data entered by the user and returned by the browser.

These and other aspects and advantages of the invention will become apparent from the following detailed description and the accompanying drawings which illustrate by way of
20 example the features of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the implementation of the method according to the invention, customary code that is normally used in the transfer protocols of the computer network is applied on the server side in order to present in the browser the site with the user interface. Normally, the computer
25 network is the Internet and the user interface will be implemented in HTML or XML code in such a way that for the user sitting at the personal computer workstation the user interface of the server called by the user looks like a normal Internet site presented in the browser.

As used herein, a "standard application" is any ready and functional software, which for example is installed on the server or runs on the server only. This can be a classical word
30 processing program, a database program, or also proprietary software. Also control software and management programs as well as all other theoretical applications can be considered. By

09883150-061501
105190-051501

integrating the software module of the present invention into the standard application, e.g. a standard word processing program or a table calculation program, these programs can be presented in a Web browser with only a marginal change in the layout of the user interface and without the need of special software at the side of the personal computer workstation. This permits the remotely controlled servicing of all programs equipped with the software module. The software module is built in the source code of the standard application simply as a callable function or an object that can be instantiated. This requires conceivably little effort on the part of the programmer of the standard application. On the other side, the user can take advantage of the possibility for remote control without the need to buy expensive additional software or to undertake laborious installation changes in the system. On the Internet, the user interface appears to the user as a normal Internet site with the usual layout of the standard application.

In this way it is possible for instance to equip a branch software with a software module, which allows the user to run also from a private personal computer at home the software normally used at the work place. It is also possible on the basis of the present invention to use remotely control software over the Internet. So for instance the control software of a telephone facility can be equipped with the software module so that the service technician can use over the Internet the software installed for instance on the computer of the provider and perform the necessary adjustments.

In a preferred implementation of the invention, the components of the user interface are list boxes, input fields and output fields, whereby, of course in the framework of the limits imposed by the resolution of the monitor, practically almost any number of different components can be presented. Components can be all functional elements, which are shown on the user interface of the standard application. As a rule, these are particularly buttons, also press buttons that can be activated by a mouse to initiate an action, text input fields, text output fields, and list boxes. However, other components that can be placed on the user interface are possible.

Normally, the software module recognizes all components and converts them in the selected code, e.g. HTML code. In the case of a confirmation field, a so-called check box, the size and the visible form of the confirmation field as well as the anticipated, respectively the possible, user input can be transferred. Unknown or unidentifiable components are interpreted and transferred as graphic. These can be for instance a GIF file or a JPG file that can be quickly transferred. Then the browser transfers to the server the user input whose type it can

09883150-061501

not foresee because the object is unknown. The software module transfers the data to the standard application along with the type and the content of the input as well as the coordinates where this has happened. In this way it is possible in most cases to present in the browser unknown objects and the functionality can be preserved despite the lack of recognition.

5 From the point of view of the personal computer workstation the software module is a normal server from where sites in the predefined format are transferred. This can for instance be an HTML-coded site or an XML-coded site. Preferably, the software module investigates the position of the separate components of the user interface of the standard application. The software module calls a copy of this user interface and saves the position of the found
10 components in a buffer. Then from the positions obtained in this way a pattern can be created with whose help the equivalents of the components that are presented in the browser are arranged in such a way that their presentation in the browser is identical or at least similar to the layout of the actual user interface.

 Preferably, in order to create the operating interface, the copy of the user interface of
15 the standard application is investigated by using routines. This can be easily done by using available routines, which are called for instance also for refreshing the computer screen after a change of window or for activating a screen saver. Then with the saved result of this call, the code that is necessary to graphically present the components in the browser can be generated. When the user makes an entry on the version of the user interface that is presented
20 in the browser, this entry is transferred to the server through the computer network where the software module assigns the components belonging to this entry. This assignment of the data to the components can be done, for instance by using operating system routines. Along with the position and the type of the separate component it is also possible to obtain further information about the components. For instance, in the case of a text field, the size, color, and
25 also the type face, of the font size of the presented text can be investigated and then transferred to the browser so that the layout of the browser presentation can be made to conform furthermore to the layout of the user interface.

 Equipping the standard application with the software module allows for the generation of a site that can be presented in a browser, but it also has the disadvantage that in this way no
30 actual network capability of the server is created. Therefore, in order to install any operating system on the server, an additional module should take over all administrative tasks of the network system. In a more advantageous implementation of the method, the server is supplied

09883150 061501
105190 0518860

with management software, which for instance "runs" during the operation of the server and therefore is active. This management software can - at the user's request and in his or her browser - start a desired standard application of those that are at the disposal of the server and organize the transfer between the server and the personal computer workstation.

5 To the possible tasks of this management software, which can be part of the operating system as a so-called "layer" within the application level, belong the management of the access rights and the addresses of the callable programs as well as the organization and management of a multitasking operation. In this way the first user can, for instance call the standard application A. Then the management software starts on the server a copy of this standard
10 application with which the first user can then work. If now - while the first user is still working - a second user wishes to access the same standard application A, the management software organizes the start of another copy, with which the second user can work.

Alternatively, it is possible to install on the server a management software, which can be called from other servers - over the data processing network - as a library (ISAPI) or as an
15 independently running program (CGI). In this case, the networking capability is realized through a client-server application, through which another machine on the data processing network partially supplies the server functions and partially calls them.

The transfer of the menu items of the standard application is difficult with the method used in the present invention because these dynamic elements cannot be converted in a simple
20 way into a suitable format for presenting the standard components. That is why it is preferred that the software module transform the menu items with the menu points of the standard application into a form that can be interpreted by the browser. This means that for instance the software module creates program code to generate the menu items in the browser window where it can be converted into an executable code by an interpreter built in the browser.

25 The script program can be in particular a Java-Script program, whereby of course also all other languages that can be interpreted by the browser, as for instance VB-Script (Visual Basic Script), can be considered. Using a scripting program it is easy to convert complex menu and submenu structures even when, as for instance in the case of the Microsoft Office family, the menus can change by changing the menu items themselves or their color depending on the
30 task the program is used for. Also other functional areas of the user interface can be converted in this way into code that can be easily transferred and presented.

09883150-061501

Particularly a small applet can also be considered a script program. This method is particularly suitable when it can produce program code that is as short as possible. As an alternative to this method, the menu can also be converted into separate graphical components that can be interpreted by the browser, as for instance into a number of buttons. This possibility is particularly suitable for menus with little menu items because otherwise the buttons cannot be drawn on the screen of the personal computer workstation without they or the surface necessary for presenting the user interface of the standard application becoming too small.

In another possible implementation of the method according to the present invention, the site that is presented in the browser is generated with a user interface from the software module according to the Cascading Style Sheets (CSS). This method can be used for presenting user interfaces in a Web browser. However, its use can also be limited to the Intranet. Therefore, it is possible for instance to refrain from using expensive network software in small work groups and instead call over the Intranet from the machine of the co-worker the software that is currently needed, as for example a branch solution, search programs for databases or CD-ROMs, or similar products.

In conclusion, the present invention refers not only to the method described above but also to the software with program code means that is necessary for the realization of the possible implementations of the method. The software is therefore built essentially from the software module, which has to be embedded in the standard application. Additionally, the management software can be installed and run on the server in one of the forms described above. On the user side, only a Web browser has to be available, which nowadays is available almost on every computer.

It will be apparent from the foregoing that while particular forms of the invention have been illustrated and described, various modifications can be made without departing from the spirit and scope of the invention. Accordingly, it is not intended that the invention be limited, except as by the appended claims.

09883150-061501